INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 17, 1977

SUBJECT INDEX

Acoustic-emission Testing, The Measurement and Significance of Energy in — D. O. Harris and R. L. Bell, 347-353 (Sept.).
Acoustic Testing of Structure, Brittle Lacquer for — R. F. Kocka, 23N-24N (Nov.).
Aeromechanical Testing of Turbomachinery, Dynamic-stress-data Management for — W. J. Rakowski, 207-212 (Jun.).
Analysis of a Vibrating-wire Stress Gage in Soft Rock — A. F. Fossum, J. E. Russell and F. D. Hansen, 261-264 (Jul.).
Analysis of Elastic Waves from Two-point Strain Measurement — B. Lundberg and A. Henchoz, 213-218 (Jun.).
Analytical and Experimental Stress Analysis of a Practical Mode II Fracture Test Specimen, An — D. B. Chisholm and D. L. Jones, 7-13 (Jan.).
Analytical Approach to Determine Conventional S-N Curves from Accelerated Fatigue Data, An — C. Basavaraju and C. K. Lim, 375-380 (Oct.).
Application of Holographic Interferometry to a Study of Wave Propagation in Rock — D. C. Holloway, A. M. Patacca and W. L. Fourney, 281-289 (Aug.).
Analytical Prediction of ROPS Static Elastic-Plastic Behavior — R. E. Easter, 77-80 (Feb.).

Belt Deformation in V-Belt Drives under Dynamic Loading — D. L. Cronin and D. W. Mertz, 463-469 (Dec.).
Birefringent Coatings to Composite Flat-belt-drive Materials, Bonding of — R. S. J. Palmer and J. L. Jarvis, 198-200 (May).
Bolt-strain Monitor, A CW Ultrasonic — J. S. Heyman, 183-187 (May).
Bonding of Birefringent Coatings to Composite Flat-belt-drive Materials — R. S. J. Palmer and J. L. Jarvis, 198-200 (May).
Brittle Lacquer for Acoustic Testing of Structure — R. F. Kocka, 23N-24N (Nov.).
Buckling of Cantilever Cones under External Pressure — S. Toda and K. Komatsu, 477-480 (Dec.).
Buckling of Stiffened Plates, Tests on Interactive — C. P. Ellinas, P. Kaoulla, S. Kattura and J. G. A. Croll, 455-462 (Dec.).

C-shaped Specimens, Stress, Strain and Deflection of Cracked — J. F. Throop and R. R. Fujczak, 290-296 (Aug.).
Cantilever Cones under External Pressure, Buckling of — S. Toda and K. Komatsu, 477-480 (Dec.).
Composite-Metal Sandwich Laminates, Influence of Residual Stresses on the Tensile Strength of — C. T. Herakovich and D. M. Wong, 409-414 (Nov.).
Composite Models, Toward Stress Freezing in Birefringent Orthotropic — K. Chandrashekhara, K. Abraham Jacob and R. Prabhakaran, 317-320 (Aug.).
Cyclic-stress Studies by Time-averaged Photoelasticity — Y. Y. Hung, C. Y. Liang, J. D. Hovanesian and A. J. Durelli, 314-316 (Aug.)
Column-buckling Criteria Using Vibratory Data, Determination of — A. L. Sweet, J. Genin and P. F. Mlakar, 385-391 (Oct.).
Comparison of High-speed Photography and Accelerometer Data-reduction Techniques, A — L. R. Calcote, 167-171 (May).
Composite Three-dimensional Photoelastic Method, A — R. J. Craig, M. J. Gutzwiller, R. H. Lee and E. O. Stitz, 433-438 (Nov.).
Computer-based Data Acquisition and Control, A Model for — S. A. Sutton, 141-146 (Apr).
Concept for Crack Detection, New — L. O. Reiters, 188-192 (May).
Crack Detection, New Concept for — L. O. Reiters, 188-192 (May).
Crack Velocity on the Critical Stress in Fracture, The Dependence of — F. Katsamanis, D. Raftopoulos and P. S. Theocaris, 128-132 (Apr.).
Cracks in Rotating Disks, Fracture-mechanics Investigations of — J. G. Blauel, J. Beinert and M. Wenk, 106-112 (Mar.).
Critical Review of Methods for Determining Stress-intensity Factors from Isochromatic Fringes, A — J. M. Etheridge and J. W. Dally, 248-254 (Jul.).
CW Ultrasonic Bolt-strain Monitor, A — J. S. Heyman, 183-187 (May).
Data-reduction Techniques, A Comparison of High-speed Photography and Accelerometer — L. R. Calcote, 167-171 (May).
Dependence of Crack Velocity on the Critical Stress in Fracture, The — F. Katsamanis, D. Raftopoulos and P. S. Theocaris, 128-132 (Apr.).
Determination of Column-buckling Criteria Using Vibratory Data — A. L. Sweet, J. Genin and P. F. Mlakar, 385-391 (Oct.).
Determination of Stress Levels for Dynamic Fracture of Oil Shale — M. P. Felix, 381-384 (Oct.).
Determination of the Critical Loads of Shells by Nondestructive Methods — W. H. Horton, E. M. Nassar and M. K. Singhal, 154-160 (Apr.).
Direct Determination of Interlaminar Stresses in Polymeric Adhesive Layer — O. Ishai, D. Peretz and S. Gali, 265-270 (Jul.).
Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns — Discussion by F. P. Chiang, 120 (Mar.).
Dynamic Loading, Belt Deformation in V-Belt Drives under — D. L. Cronin and D. W. Mertz, 463-469 (Dec.).
Dynamic-fracture Toughness of A533B Steel — A. P. Glover, F. A. Johnson and J. C. Radon, 172-178 (May).
Dynamic-stress-data Management for Aeromechanical Testing of Turbomachinery — W. J. Rakowski, 207-212 (Jun.).

Effect of Laminate Construction on Residual Stresses in Graphite/Polyimide Composites — I. M. Daniel and T. Liber, 21-25 (Jan.).
Effect of Large Prestrains on Fatigue, The — G. Z. Libertiny, T. H. Topper and B. N. Leis, 64-68 (Feb.).
Elastic Constants of Type 308 Stainless-steel Electroslag Welds, Measurements of Anisotropic — B. R. Dewey, L. Adler, R. T. King and K. V. Cook, 420-426 (Nov.).
Elastic Waves from Two-point Strain Measurement, Analysis of — B. Lundberg and A. Henchoz, 213-218 (Jun.).
Elastomers, Mechanical Response and Heat Buildup in Repetitively Impacted — P. A. Engel and R. C. Lasky, 97-105 (Mar.).
Electric-power-saving Hydraulic Fatigue-testing Machine, An — A. Ohta and E. Sasaki, 37-40 (Jan.).
Electromagnetic Shear-stress Gage for Large-amplitude Shear Waves, An — C. Young and O. Dubugnon, 470-476 (Dec.).
Energy Criterion for Fatigue Failure, Inelastic Response and — V. M. Radhakrishnan, 219-222 (Jun.).
Energy in Acoustic-emission Testing, The Measurement and Significance of — D. O. Harris and R. L. Bell, 347-353 (Sept.).
Epoxies for Dynamic Photoelastic Studies of Fracture, A System of Modified — T. Kobayashi and J. W. Dally, 367-374 (Oct.).
Excitation of an Eccentrically Tensioned Bar, An Investigation of the Parametric — R. P. Briley and R. L. Carlson, 354-358 (Sept.).
Experimental Investigation of an Orthotropic Steel Bridge Deck up to Ultimate Loads — G. A. M. Ghoneim and P. G. Glockner, 81-87 (Mar.).
Experimental Investigation on the Tensile Moduli and Strengths of Graphite/Epoxy Laminates, An — Y. T. Yeow and H. F. Brinson, 401-408 (Nov.).
Experimental Mechanics and Nuclear Power — W. E. Cooper, 361-366 (Oct.).
Experimental Stress Analysis in Massive Offshore Structures — D. G. Ritchie, 327-332 (Sept.).
Experimental Study of Multiple Impacts — P. C. Chou and R. H. Toland, 201-206 (Jun.).

Fatigue Analysis of Structural Components Through Math-model Simulation — A. R. Michetti, 69-76 (Feb.).
Fatigue Behavior Under Combined Bending and Torsion, Low-endurance — G. S. A. Shawki and A. A. Mashhour, 276-279 (Jul.).
Fatigue-crack-growth Prediction Methods, A Review of — D. V. Nelson, 41-49 (Feb.).
Fatigue-life Prediction Using Local Stress-Strain Concepts — D. F. Socie, 50-56 (Feb.).
Fatigue Properties of Titanium-alloy Spring Wire, The Torsional — E. L. Hayman, D. W. Greenwood and B. G. Martin, 161-166 (May).
Fatigue-testing Machine, An Electric-power-saving Hydraulic — A. Ohta and E. Sasaki, 37-40 (Jan.).
Finite Elements, Stress Analysis of a Complex Part: Photoelasticity vs. — R. J. Sanford and L. A. Beaubien, 441-448 (Dec.).

INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 17, 1977

SUBJECT INDEX

Acoustic-emission Testing, The Measurement and Significance of Energy in — D. O. Harris and R. L. Bell, 347-353 (Sept.).
Acoustic Testing of Structure, Brittle Lacquer for — R. F. Kocka, 23N-24N (Nov.).
Aeromechanical Testing of Turbomachinery, Dynamic-stress-data Management for — W. J. Rakowski, 207-212 (Jun.).
Analysis of a Vibrating-wire Stress Gage in Soft Rock — A. F. Fossum, J. E. Russell and F. D. Hansen, 261-264 (Jul.).
Analysis of Elastic Waves from Two-point Strain Measurement — B. Lundberg and A. Henchoz, 213-218 (Jun.).
Analytical and Experimental Stress Analysis of a Practical Mode II Fracture Test Specimen, An — D. B. Chisholm and D. L. Jones, 7-13 (Jan.).
Analytical Approach to Determine Conventional S-N Curves from Accelerated Fatigue Data, An — C. Basavaraju and C. K. Lim, 375-380 (Oct.).
Application of Holographic Interferometry to a Study of Wave Propagation in Rock — D. C. Holloway, A. M. Patacca and W. L. Fourney, 281-289 (Aug.).
Analytical Prediction of ROPS Static Elastic-Plastic Behavior — R. E. Easter, 77-80 (Feb.).

Belt Deformation in V-Belt Drives under Dynamic Loading — D. L. Cronin and D. W. Mertz, 463-469 (Dec.).
Birefringent Coatings to Composite Flat-belt-drive Materials, Bonding of — R. S. J. Palmer and J. L. Jarvis, 198-200 (May).
Bolt-strain Monitor, A CW Ultrasonic — J. S. Heyman, 183-187 (May).
Bonding of Birefringent Coatings to Composite Flat-belt-drive Materials — R. S. J. Palmer and J. L. Jarvis, 198-200 (May).
Brittle Lacquer for Acoustic Testing of Structure — R. F. Kocka, 23N-24N (Nov.).
Buckling of Cantilever Cones under External Pressure — S. Toda and K. Komatsu, 477-480 (Dec.).
Buckling of Stiffened Plates, Tests on Interactive — C. P. Ellinas, P. Kaoulla, S. Kattura and J. G. A. Croll, 455-462 (Dec.).

C-shaped Specimens, Stress, Strain and Deflection of Cracked — J. F. Throop and R. R. Fujczak, 290-296 (Aug.).
Cantilever Cones under External Pressure, Buckling of — S. Toda and K. Komatsu, 477-480 (Dec.).
Composite-Metal Sandwich Laminates, Influence of Residual Stresses on the Tensile Strength of — C. T. Herakovich and D. M. Wong, 409-414 (Nov.).
Composite Models, Toward Stress Freezing in Birefringent Orthotropic — K. Chandrashekhara, K. Abraham Jacob and R. Prabhakaran, 317-320 (Aug.).
Cyclic-stress Studies by Time-averaged Photoelasticity — Y. Y. Hung, C. Y. Liang, J. D. Hovanesian and A. J. Durelli, 314-316 (Aug.)
Column-buckling Criteria Using Vibratory Data, Determination of — A. L. Sweet, J. Genin and P. F. Mlakar, 385-391 (Oct.).
Comparison of High-speed Photography and Accelerometer Data-reduction Techniques, A — L. R. Calcote, 167-171 (May).
Composite Three-dimensional Photoelastic Method, A — R. J. Craig, M. J. Gutzwiller, R. H. Lee and E. O. Stitz, 433-438 (Nov.).
Computer-based Data Acquisition and Control, A Model for — S. A. Sutton, 141-146 (Apr).
Concept for Crack Detection, New — L. O. Reiters, 188-192 (May).
Crack Detection, New Concept for — L. O. Reiters, 188-192 (May).
Crack Velocity on the Critical Stress in Fracture, The Dependence of — F. Katsamanis, D. Raftopoulos and P. S. Theocaris, 128-132 (Apr.).
Cracks in Rotating Disks, Fracture-mechanics Investigations of — J. G. Blauel, J. Beinert and M. Wenk, 106-112 (Mar.).
Critical Review of Methods for Determining Stress-intensity Factors from Isochromatic Fringes, A — J. M. Etheridge and J. W. Dally, 248-254 (Jul.).
CW Ultrasonic Bolt-strain Monitor, A — J. S. Heyman, 183-187 (May).
Data-reduction Techniques, A Comparison of High-speed Photography and Accelerometer — L. R. Calcote, 167-171 (May).
Dependence of Crack Velocity on the Critical Stress in Fracture, The — F. Katsamanis, D. Raftopoulos and P. S. Theocaris, 128-132 (Apr.).
Determination of Column-buckling Criteria Using Vibratory Data — A. L. Sweet, J. Genin and P. F. Mlakar, 385-391 (Oct.).
Determination of Stress Levels for Dynamic Fracture of Oil Shale — M. P. Felix, 381-384 (Oct.).
Determination of the Critical Loads of Shells by Nondestructive Methods — W. H. Horton, E. M. Nassar and M. K. Singhal, 154-160 (Apr.).
Direct Determination of Interlaminar Stresses in Polymeric Adhesive Layer — O. Ishai, D. Peretz and S. Gali, 265-270 (Jul.).
Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns — Discussion by F. P. Chiang, 120 (Mar.).
Dynamic Loading, Belt Deformation in V-Belt Drives under — D. L. Cronin and D. W. Mertz, 463-469 (Dec.).
Dynamic-fracture Toughness of A533B Steel — A. P. Glover, F. A. Johnson and J. C. Radon, 172-178 (May).
Dynamic-stress-data Management for Aeromechanical Testing of Turbomachinery — W. J. Rakowski, 207-212 (Jun.).

Effect of Laminate Construction on Residual Stresses in Graphite/Polyimide Composites — I. M. Daniel and T. Liber, 21-25 (Jan.).
Effect of Large Prestrains on Fatigue, The — G. Z. Libertiny, T. H. Topper and B. N. Leis, 64-68 (Feb.).
Elastic Constants of Type 308 Stainless-steel Electroslag Welds, Measurements of Anisotropic — B. R. Dewey, L. Adler, R. T. King and K. V. Cook, 420-426 (Nov.).
Elastic Waves from Two-point Strain Measurement, Analysis of — B. Lundberg and A. Henchoz, 213-218 (Jun.).
Elastomers, Mechanical Response and Heat Buildup in Repetitively Impacted — P. A. Engel and R. C. Lasky, 97-105 (Mar.).
Electric-power-saving Hydraulic Fatigue-testing Machine, An — A. Ohta and E. Sasaki, 37-40 (Jan.).
Electromagnetic Shear-stress Gage for Large-amplitude Shear Waves, An — C. Young and O. Dubugnon, 470-476 (Dec.).
Energy Criterion for Fatigue Failure, Inelastic Response and — V. M. Radhakrishnan, 219-222 (Jun.).
Energy in Acoustic-emission Testing, The Measurement and Significance of — D. O. Harris and R. L. Bell, 347-353 (Sept.).
Epoxies for Dynamic Photoelastic Studies of Fracture, A System of Modified — T. Kobayashi and J. W. Dally, 367-374 (Oct.).
Excitation of an Eccentrically Tensioned Bar, An Investigation of the Parametric — R. P. Briley and R. L. Carlson, 354-358 (Sept.).
Experimental Investigation of an Orthotropic Steel Bridge Deck up to Ultimate Loads — G. A. M. Ghoneim and P. G. Glockner, 81-87 (Mar.).
Experimental Investigation on the Tensile Moduli and Strengths of Graphite/Epoxy Laminates, An — Y. T. Yeow and H. F. Brinson, 401-408 (Nov.).
Experimental Mechanics and Nuclear Power — W. E. Cooper, 361-366 (Oct.).
Experimental Stress Analysis in Massive Offshore Structures — D. G. Ritchie, 327-332 (Sept.).
Experimental Study of Multiple Impacts — P. C. Chou and R. H. Toland, 201-206 (Jun.).

Fatigue Analysis of Structural Components Through Math-model Simulation — A. R. Michetti, 69-76 (Feb.).
Fatigue Behavior Under Combined Bending and Torsion, Low-endurance — G. S. A. Shawki and A. A. Mashhour, 276-279 (Jul.).
Fatigue-crack-growth Prediction Methods, A Review of — D. V. Nelson, 41-49 (Feb.).
Fatigue-life Prediction Using Local Stress-Strain Concepts — D. F. Socie, 50-56 (Feb.).
Fatigue Properties of Titanium-alloy Spring Wire, The Torsional — E. L. Hayman, D. W. Greenwood and B. G. Martin, 161-166 (May).
Fatigue-testing Machine, An Electric-power-saving Hydraulic — A. Ohta and E. Sasaki, 37-40 (Jan.).
Finite Elements, Stress Analysis of a Complex Part: Photoelasticity vs. — R. J. Sanford and L. A. Beaubien, 441-448 (Dec.).

Fitting of Simple Approximation Functions Using Nonlinear Least-squares Methods — D. G. Berghaus, 14-20 (Jan.).
Foil Bulge-test Samples, Measurement of the Shapes of — T. D. Dudderar, F. B. Koch and E. M. Doerries, 133-140 (Apr.).
Forced-vibration Technique for Measurement of Material Damping, A — R. F. Gibson and R. Plunkett, 297-302 (Aug.).
Fracture Holder and Primary Fracture-compression Device — G. Eriksson, L. Larsson, L. Myrén, U. Olsson and H. G. Edeland, 239-240 (Jun.).
Fracture-mechanics Investigations of Cracks in Rotating Disks — J. G. Blauel, J. Beinert and M. Wenk, 106-112 (Mar.).
Fracture under Biaxial Stresses, A Simple Testing Technique for — J. C. Radon, P. S. Leevers and L. E. Culver, 228-232 (Jun.).

Graphite/Epoxy Laminates, An Experimental Investigation on the Tensile Moduli and Strengths of — Y. T. Yeow and H. F. Brinson, 401-408 (Nov.).

History of Some Recent Measurements Described in Experimental Mechanics, On the — J. F. Bell, 359-360 (Sept.).
Holographic Interferometry to a Study of Wave Propagation in Rock, Application of — D. C. Holloway, A. M. Patacca and W. L. Fourney, 281-289 (Aug.).
Homegrown Strain-gage Transducers — J. Dorsey, 255-260 (Jul.).

Impact Loading, A Mathematical Model of Hysol 8705 Under — C. T. Tang and K. G. McConnell, 113-119 (Mar.).
Impacts, Experimental Study of Multiple — P. C. Chou and R. H. Toland, 201-206 (Jun.).
Indentation Pressure Transducer — P. Bronsted and T. Wanheim, 237-238 (Jun.).
Inelastic Response and Energy Criterion for Fatigue Failure — V. M. Radhakrishnan, 219-222 (Jun.).
Influence of Residual Stresses on the Tensile Strength of Composite-Metal Sandwich Laminates — C. T. Herakovich and D. M. Wong, 409-414 (Nov.).
Interferometric Investigation of the Stress-intensity Factor Along a Crack Front, Three-dimensional Speckle — D. B. Barker and M. E. Fourney, 241-247 (Jul.).
Interlaminar Stresses in Polymeric Adhesive Layer, Direct Determination of — O. Ishai, D. Peretz and S. Gali, 265-270 (Jul.).
Investigation of Oblique Perforation of Metallic Plates by Projectiles, An — J. Awerbuch and S. R. Bodner, 147-153 (Apr.).
Investigation of the Parametric Excitation of an Eccentrically Tensioned Bar, An — R. P. Briley and R. L. Carlson, 354-358 (Sept.).
Isochromatic Fringes, A Critical Review of Methods for Determining Stress-intensity Factors from — J. M. Etheridge and J. W. Dally, 248-254 (Jul.).

Laminate Construction on Residual Stresses in Graphite/Polyimide Composites, Effect of — I. M. Daniel and T. Liber, 21-25 (Jan.).
Low-endurance Fatigue Behavior Under Combined Bending and Torsion — G. S. A. Shawki and A. A. Mashhour, 276-279 (Jul.).

Material Damping, A Forced-vibration Technique for Measurement of — R. F. Gibson and R. Plunkett, 297-302 (Aug.).
Math-model Simulation, Fatigue Analysis of Structural Components Through — A. R. Michetti, 69-76 (Feb.).
Mathematical Model of Hysol 8705 Under Impact Loading, A — C. T. Tang and K. G. McConnell, 113-119 (Mar.).
Measurement and Significance of Energy in Acoustic-emission Testing, The — D. O. Harris and R. L. Bell, 347-353 (Sept.).
Measurement of the Shapes of Foil Bulge-test Samples — T. D. Dudderar, F. B. Koch and E. M. Doerries, 133-140 (Apr.).
Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag Welds — B. R. Dewey, L. Adler, R. T. King and K. V. Cook, 420-426 (Nov.).
Measuring Small Internal Pressures along a Tube During Steady Flow — H. S. Freynik, Jr. and G. R. Dittbenner, 415-419 (Nov.).
Mechanical Response and Heat Buildup in Repetitively Impacted Elastomers — P. A. Engel and R. C. Lasky, 97-105 (Mar.).
Model for Computer-based Data Acquisition and Control, A — S. A. Sutton, 141-146 (Apr.).
Multiaxial-failure Test Vehicle for Filament-wound Pressure Vessels, A — R. J. Christensen and S. C. Browning, 179-182 (May).

Neuber-based Notch Analysis by the Companion-specimen Method, Verification of a — A. Conle and H. Nowack, 57-63 (Feb.).
New Application of Isodensitometry in the Moiré Technique — Discussion by C. L. Mehrotra and M. L. Meyer, 280 (Jul.).
Nondestructive Methods, Determination of the Critical Loads of Shells by — W. H. Horton, E. M. Nassar and M. K. Singhal, 154-160 (Apr.).
Nozzle Cracks in Reactor Vessels, Stress Intensities for — C. W. Smith, M. Jolles and W. H. Peters, 449-454 (Dec.).
Nuclear Power, Experimental Mechanics and — W. E. Cooper, 361-366 (Oct.).

Offshore Structures, Experimental Stress Analysis in Massive — D. G. Ritchie, 327-332 (Sept.).
Optical Differentiation of Geometrical Patterns — L. Pirodda, 427-432 (Nov.).
Optical Response and Yield Behavior of a Polyester Model Material — L. W. Zachary and W. F. Riley, 321-326 (Sept.).

Perforation of Metallic Plates by Projectiles, An Investigation of Oblique — J. Awerbuch and S. R. Bodner, 147-153 (Apr.).
Performance of Metal-foil Strain Gages During Large Cyclic Strains — N. E. Dowling, 193-198 (May).
Photoelastic Analysis of Microelectric-component Thermal Stresses — R. Mark, 121-127 (Apr.).
Photoelastic Data, Superposition of — G. Friedrich, 33-36 (Jan.).
Photoelastic Investigation of a Shrink-fit Problem — Discussion by V. J. Parks and A. J. Durelli, 398 (Oct.).
Photoelastic Method, A Composite Three-dimensional — R. J. Craig, M. J. Gutzwiller, R. H. Lee and E. O. Stitz, 433-438 (Nov.).
Photoelastic Stress Analysis of Machines Under Dynamic Load — A. Kuske, 88-96 (Mar.).
Photoelastic Studies of Fracture, A System of Modified Epoxies for Dynamic — T. Kobayashi and J. W. Dally, 367-374 (Oct.).
Photoelastic Study of the Load-carrying Capacity/Face Width Ratio of Wildhaber-Novikov Gears for Automotive Applications, Three-dimensional — K. Lingaiah and K. Ramachandra, 392-397 (Oct.).
Photoelastic Technique to Investigate the Effect of Temperature and Strain Rate on Plastic Flow in Mild Steel — T. Kumazawa, 271-275 (Jul.).
Photoelasticity, Cyclic-stress Studies by Time-averaged — Y. Y. Hung, C. Y. Liang, J. D. Hovanesian and A. J. Durelli, 314-316 (Aug.).
Photoelasticity for Stress Analysis under High Hydrostatic Pressure — C. K. McClure and L. W. Hu, 308-313 (Aug.).
Photoelasticity vs. Finite Elements, Stress Analysis of a Complex Part: — R. J. Sanford and L. A. Beaubien, 441-448 (Dec.).
Plastic Flow in Mild Steel, Photoelastic Technique to Investigate the Effect of Temperature and Strain Rate on — T. Kumazawa, 271-275 (Jul.).
Polymeric Adhesive Layer, Direct Determination of Interlaminar Stresses in — O. Ishai, D. Peretz and S. Gali, 265-270 (Jul.).
Pressure, Photoelasticity for Stress Analysis under High Hydrostatic — C. K. McClure and L. W. Hu, 308-313 (Aug.).
Pressure Transducer, Indentation — P. Brondsted and T. Wanheim, 237-238 (Jun.).
Pressure Vessels, A Multiaxial-failure Test Vehicle for Filament-wound — R. J. Christensen and S. C. Browning, 179-182 (May).
Pressure Vessel, Stress Concentrations Around Multiple Windows in a High- — J. E. Field and W. F. Kirkwood, 223-227 (Jun.).
Pressures along a Tube During Steady Flow, Measuring Small Internal — H. S. Freynik, Jr. and G. R. Dittbenner, 415-419 (Nov.).
Prestrains on Fatigue, The Effect of Large — G. Z. Libertiny, T. H. Topper and B. N. Leis, 64-68 (Feb.).

Reactor Vessels, Stress Intensities for Nozzle Cracks in — C. W. Smith, M. Jolles and W. H. Peters, 449-454 (Dec.).
Residual Stresses in Graphite/Polyimide Composites, Effect of Laminate Construction on — I. M. Daniel and T. Liber, 21-25 (Jan.).
Residual Stresses on the Tensile Strength of Composite-Metal Sandwich Laminates, Influence of — C. T. Herakovich and D. M. Wong, 409-414 (Nov.).
Response of Foil Strain Gages to Hydraulic Pressure — C. G. Foster, 26-32 (Jan.).
Review of Fatigue-crack-growth Prediction Methods — Discussion by J. C. Newman, Jr., 399-400 (Oct.).
ROPS Static Elastic-Plastic Behavior, Analytical Prediction of — R. E. Easter, 77-80 (Feb.).

S-N Curves from Accelerated Fatigue Data, An Analytical Approach to Determine Conventional — C. Basavaraju and C. K. Lim, 375-380 (Oct.).
Scattered-light Photoelasticity, Stresses and Strains in Axisymmetric Problems Using — J. H. Hemann and R. J. Becherer, 233-236 (Jun.).
Shear Properties in Fiber Composites, Ten-deg Off-axis Test for — C. C. Chamis and J. H. Sinclair, 339-346 (Sept.).
Shear-stress Gage for Large-amplitude Shear Waves, An Electromagnetic — C. Young and O. Dubugnon, 470-476 (Dec.).
Simple Testing Technique for Fracture under Biaxial Stress, A — J. C. Radon, P. S. Leevers and L. E. Culver, 228-232 (Jun.).
Space-shuttle Thermal-protection Coating, Testing the — M. F. Duggan, 333-338 (Sept.).
Strain-gage Transducers, Homegrown — J. Dorsey, 255-260 (Jul.).
Strain Gages During Large Cyclic Strains, Performance of Metal-foil — N. E. Dowling, 193-198 (May).
Strain Gages in a Seawater Environment, Vulcanized-rubber Protection for — M. Dean, III, 303-307 (Aug.).
Strain Gages to Hydraulic Pressure, Response of Foil — C. G. Foster, 26-32 (Jan.).
Stress Analysis in Massive Offshore Structures, Experimental — D. G. Ritchie, 327-332 (Sept.).
Stress Analysis of a Complex Part: Photoelasticity vs. Finite Elements — R. J Sanford and L. A. Beaubien, 441-448 (Dec.).
Stress Analysis of a Practical Mode II Fracture Test Specimen, An Analytical and Experimental — D. B. Chisholm and D. L. Jones, 7-13 (Jan.).
Stress-concentration Factors at Intersecting and Closely Approaching Orthogonal Coplanar Holes — R. L. Johnson and M. M. Leven, 1-6 (Jan.).
Stress Concentrations Around Multiple Windows in a High-pressure Vessel — J. E. Field and W. F. Kirkwood, 223-227 (Jun.).
Stress Freezing in Birefringent Orthotropic Composite Models, Toward — K. Chandrashekhara, K. Abraham Jacob and R. Prabhakaran, 317-320 (Aug.).
Stress Gage in Soft Rock, Analysis of a Vibrating-wire — A. F. Fossum, J. E. Russell and F. D. Hansen, 261-264 (Jul.).
Stress Intensitites for Nozzle Cracks in Reactor Vessels — C. W. Smith, M. Jolles and W. H. Peters, 449-454 (Dec.).
Stress-intensity Factor Along a Crack Front, Three-dimensional Speckle Interferometric Investigation of the — D. B. Barker and M. E. Fourney, 241-247 (Jul.).
Stress-intensity Factors from Isochromatic Fringes, A Critical Review of Methods for Determining — J. M. Etheridge and J. W. Dally, 248-254 (Jul.).
Stress Levels for Dynamic Fracture of Oil Shale, Determination of — M. P. Felix, 381-384 (Oct.).
Stress, Strain and Deflection of Cracked, C-shaped Specimens — J. F. Throop and R. R. Fujczak, 290-296 (Aug.).

Stress-Strain Concepts, Fatigue-life Prediction Using — D. F. Socie, 50-56 (Feb.).
Stresses and Strains in Axisymmetric Problems Using Scattered-light Photoelasticity — J. H. Hemann and R. J. Becherer, 233-236 (Jun.).
Superposition of Photoelastic Data — G. Friedrich, 33-36 (Jan.).
Symmetric Lap-shear Test — What Good Is It?, The — Discussion by A. J. Durelli, 439-440 (Nov.).
System of Modified Epoxies for Dynamic Photoelastic Studies of Fracture, A — T. Kobayashi and J. W. Dally, 367-374 (Oct.).

Ten-deg Off-axis Test for Shear Properties in Fiber Composites — C. C. Chamis and J. H. Sinclair, 339-346 (Sept.).
Tensile Moduli and Strengths of Graphite/Epoxy Laminates, An Experimental Investigation on the — Y. T. Yeow and H. F. Brinson, 401-408 (Nov.).
Testing the Space-shuttle Thermal-protection coating — M. F. Duggan, 333-338 (Sept.).
Tests on Interactive Buckling of Stiffened Plates — C. P. Ellinas, P. Kaoulla, S. Kattura and J. G. A. Croll, 455-462 (Dec.).
Thermal-protection Coating, Testing the Space-shuttle — M. F. Duggan, 333-338 (Sept.).
Thermal Stresses, Photoelastic Analysis of Microelectric-component — R. Mark, 121-127 (Apr.).
Three-dimensional Photoelastic Study of the Load-carrying Capacity/Face Width Ratio of Wildhaber-Novikov Gears for Automotive Applications — K. Lingaiah and K. Ramachandra, 392-397 (Oct.).
Three-dimensional Speckle Interferometric Investigation of the Stress-intensity Factor Along a Crack Front — D. B. Barker and M. E. Fourney, 241-247 (Jul.).
Torsional Fatigue Properties of Titanium-alloy Spring Wire, The — E. L. Hayman, D. W. Greenwood and B. G. Martin, 161-166 (May).
Toward Stress Freezing in Birefringent Orthotropic Composite Models — K. Chandrashekhara, K. Abraham Jacob and R. Prabhakaran, 317-320 (Aug.).

Ultimate Loads, Experimental Investigation of an Orthotropic Steel Bridge Deck up to — G. A. M. Ghoneim and P. G. Glockner, 81-87 (Mar.).

Verification of a Neuber-based Notch Analysis by the Companion-specimen Method — A. Conle and H. Nowack, 57-63 (Feb.).
Vibratory Data, Determination of Column-buckling Criteria Using — A. L. Sweet, J. Genin and P. F. Mlakar, 385-391 (Oct.).
Vulcanized-rubber Protection for Strain Gages in a Seawater Environment — M. Dean, III, 303-307 (Aug.).
Wave Propagation in Rock, Application of Holographic Interferometry to a Study of — D. C. Holloway, A. M. Patacca and W. L. Fourney, 281-289 (Aug.).
Welds, Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag — B. R. Dewey, L. Adler, R. T. King and K. V. Cook, 420-426 (Nov.).
Wildhaber-Novikov Gears for Automotive Applications, Three-dimensional Photoelastic Study of the Load-carrying Capacity/Face Width Ratio of — K. Lingaiah and K. Ramachandra, 392-397 (Oct.).

Yield Behavior of a Polyester Model Material, Optical Response and — L. W. Zachary and W. F. Riley, 321-326 (Sept.).

AUTHOR INDEX

Adler, L. — Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag Welds, 420-426 (Nov.).
Awerbuch, J. — An Investigation of Oblique Perforation of Metallic Plates by Projectiles, 147-153 (Apr.).

Barker, D. B. — Three-dimensional Speckle Interferometric Investigation of the Stress-intensity Factor Along a Crack Front, 241-247 (Jul.).
Basavaraju, C. — An Analytical Approach to Determine Conventional S-N Curves from Accelerated Fatigue Data, 375-380 (Oct.).
Beaubien, L. A. — Stress Analysis of a Complex Part: Photoelasticity vs. Finite Elements, 441-448 (Dec.).
Becherer, R. J. — Stresses and Strains in Axisymmetric Problems Using Scattered-light Photoelasticity, 233-236 (Jun.).
Beinert, J. — Fracture-mechanics Investigations of Cracks in Rotating Disks, 106-112 (Mar.).
Bell, J. F. — On the History of Some Recent Measurements Described in Experimental Mechanics, 359-360 (Sept.).
Bell, R. L. — The Measurement and Significance of Energy in Acoustic-emission Testing, 347-353 (Sept.).
Berghaus, D. G. — Fitting of Simple Approximation Functions Using Nonlinear Least-squares Methods, 14-20 (Jan.).
Blauel, J. G. — Fracture-mechanics Investigations of Cracks in Rotating Disks, 106-112 (Mar.).
Bodner, S. R. — An Investigation of Oblique Perforation of Metallic Plates by Projectiles, 147-153 (Apr.).
Briley, R. P. — An Investigation of the Parametric Excitation of an Eccentrically Tensioned Bar, 354-358 (Sept.).
Brinson, H. F. — An Experimental Investigation on the Tensile Moduli and Strengths of Grapite/Epoxy Laminates, 401-408 (Nov.).
Brondsted, P. — Indentation Pressure Transducer, 237-238 (Jun.).
Browning, S. C. — A Multiaxial-failure Test Vehicle for Filament-wound Pressure Vessels, 179-182 (May).

Calcote, L. R. — A Comparison of High-speed Photography and Accelerometer Data-reduction Techniques, 167-171 (May).
Carlson, R. L. — An Investigation of the Parametric Excitation of an Eccentrically Tensioned Bar, 354-358 (Sept.).
Chamis, C. C. — Ten-deg Off-axis Test for Shear Properties in Fiber Composites, 339-346 (Sept.).
Chandrashekhara, K. — Toward Stress Freezing in Birefringent Orthotropic Composite Models, 317-320 (Aug.).
Chiang, F. P. — Discussion of "Displacement Measurements in the Interior of 3-D Bodies Using Scattered-light Speckle Patterns", 120 (Mar.).
Chisholm, D. B. — An Analytical and Experimental Stress Analysis of a Practical Mode II Fracture Test Specimen, 7-13 (Jan.).
Chou, P. C. — Experimental Study of Multiple Impacts, 201-206 (Jun.).
Christensen, R. J. — A Multiaxial-failure Test Vehicle for Filament-wound Pressure Vessels, 179-182 (May).
Conle, A. — Verification of a Neuber-based Notch Analysis by the Companion-specimen Method, 57-63 (Feb.).
Cook, K. V. — Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag Welds, 420-426 (Nov.).
Cooper, W. E. — 1977 Murray Lecture: Experimental Mechanics and Nuclear Power, 361-366 (Oct.).
Craig, R. J. — A Composite Three-dimensional Photoelastic Method, 433-438 (Nov.).
Croll, J. G. A. — Tests on Interactive Buckling of Stiffened Plates, 455-462 (Dec.).
Cronin, D. L. — Belt Deformation in V-Belt Drives under Dynamic Loading, 463-469 (Dec.).
Culver, L. E. — A Simple Testing Technique for Fracture under Biaxial Stresses, 228-232 (Jun.).
Dally, J. W. — A Critical Review of Methods for Determining Stress-intensity Factors from Isochromatic Fringes, 248-254 (Jul.).
Dally, J. W. — A System of Modified Epoxies for Dynamic Photoelastic Studies of Fracture, 367-374 (Oct.).
Daniel, I. M. — Effect of Laminate Construction on Residual Stresses in Graphite/Polyimide Composites, 21-25 (Jan.).
Dean, M., III — Vulcanized-rubber Protection for Strain Gages in a Seawater Environment, 303-307 (Aug.).
Dewey, B. R. — Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag Welds, 420-426 (Nov.).
Dittbenner, G. R. — Measuring Small Internal Pressures along a Tube During Steady Flow, 415-419 (Nov.).
Doerries, E. M. — Measurement of the Shapes of Foil Bulge-test Samples, 133-140 (Apr.).
Dorsey, J. — Homegrown Strain-gage Transducers, 255-260 (Jul.).
Dowling, N. E. — Performance of Metal-foil Strain Gages During Large Cyclic Strains, 193-197 (May).
Dubugnon, O. — An Electromagnetic Shear-stress Gage for Large-amplitude Shear Waves, 470-476 (Dec.).
Dudderar, T. D. — Measurement of the Shapes of Foil Bulge-test Samples, 133-140 (Apr.).
Duggan, M. F. — Testing the Space-shuttle Thermal-protection Coating, 333-338 (Sept.).
Durelli, A. J. — Cyclic-stress Studies by Time-averaged Photoelasticity, 314-316 (Aug.).
Durelli, A. J. — Discussion of "Photoelastic Investigation of a Shrink-fit Problem", 398 (Oct.).
Durelli, A. J. — Discussion of "The Symmetric Lap-shear Test — What Good Is It?", 439-440 (Nov.).

Easter, R. E. — Analytical Prediction of ROPS Static Elastic-Plastic Behavior, 77-80 (Feb.).
Edeland, H. G. — Fracture Holder and Primary Fracture-compression Device, 239-240 (Jun.).
Ellinas, C. P. — Tests on Interactive Buckling of Stiffened Plates, 455-462 (Dec.).
Engel, P. A. — Mechanical Response and Heat Buildup in Repetitively Impacted Elastomers, 97-105 (Mar.).
Eriksson, G. — Fracture Holder and Primary Fracture-compression Device, 239-240 (Jun.).
Etheridge, J. M. — A Critical Review of Methods for Determining Stress-intensity Factors from Isochromatic Fringes, 248-254 (Jul.).

Felix, M. P. — Determination of Stress Levels for Dynamic Fracture of Oil Shale, 381-384 (Oct.).
Field, J. E. — Stress Concentrations Around Multiple Windows in a High-pressure Vessel, 223-227 (Jun.).
Fossum, A. F. — Analysis of a Vibrating-wire Stress Gage in Soft Rock, 261-264 (Jul.).
Foster, C. G. — Response of Foil Strain Gages to Hydraulic Pressure, 26-32 (Jan.).
Fourney, M. E. — Three-dimensional Speckle Interferometric Investigation of the Stress-intensity Factor Along a Crack Front, 241-247 (Jul.)
Fourney, W. L. — Application of Holographic Interferometry to a Study of Wave Propagation in Rock, 281-289 (Aug.).
Freynik, H. S., Jr. — Measuring Small Internal Pressures along a Tube During Steady Flow, 415-419 (Nov.).
Friedrich, G. — Superposition of Photoelastic Data, 33-36 (Jan.).
Fujczak, R. R. — Stress, Strain and Deflection of Cracked C-shaped Specimens, 290-296 (Aug.).

Gali, S. — Direct Determination of Interlaminar Stresses in Polymeric Adhesive Layer, 265-270 (Jul.).
Genin, J. — Determination of Column-buckling Criteria Using Vibratory Data, 385-391 (Oct.).
Ghoneim, G. A. M. — Experimental Investigation of an Orthotropic Steel Bridge Deck up to Ultimate Loads, 81-87 (Mar.).

Gibson, R. F. — A Forced-vibration Technique for Measurement of Material Damping, 297-302 (Aug.).
Glockner, P. G. — Experimental Investigation of an Orthotropic Steel Bridge Deck up to Ultimate Loads, 81-87 (Mar.).
Glover, A. P. — Dynamic-fracture Toughness of A533B Steel, 172-178 (May).
Greenwood, D. W. — The Torsional Fatigue Properties of Titanium-alloy Spring Wire, 161-166 (May).
Gutzwiller, M. J. — A Composite Three-dimensional Photoelastic Method, 433-438 (Nov.).

Hansen, F. D. — Analysis of a Vibrating-wire Stress Gage in Soft Rock, 261-264 (Jul.).
Harris, D. O. — The Measurement and Significance of Energy in Acoustic-emission Testing, 347-353 (Sept.).
Hayman, E. L. — The Torsional Fatigue Properties of Titanium-alloy Spring Wire, 161-166 (May).
Hemann, J. H. — Stresses and Strains in Axisymmetric Problems Using Scattered-light Photoelasticity, 233-236 (Jun.).
Henchoz, A. — Analysis of Elastic Waves from Two-point Strain Measurement, 213-218 (Jun.).
Herakovich, C. T. — Influence of Residual Stresses on the Tensile Strength of Composite-Metal Sandwich Laminates, 409-414 (Nov.).
Heyman, J. S. — A CW Ultrasonic Bolt-strain Monitor, 183-187 (May).
Holloway, D. C. — Application of Holographic Interferometry to a Study of Wave Propagation in Rock, 281-289 (Aug.).
Horton, W. H. — Determination of the Critical Loads of Shells by Nondestructive Methods, 154-160 (Apr.).
Hovanesian, J. D. — Cyclic-stress Studies by Time-averaged Photoelasticity, 314-316 (Aug.).
Hu, L. W. — Photoelasticity for Stress Analysis under High Hydrostatic Pressure, 308-313 (Aug.).
Hung, Y. Y. — Cyclic-stress Studies by Time-averaged Photoelasticity, 314-316 (Aug.).

Ishai, O. — Direct Determination of Interlaminar Stresses in Polymeric Adhesive Layer, 265-270 (Jul.).

Jacob, K. A. — Toward Stress Freezing in Birefringent Orthotropic Composite Models, 317-320 (Aug.).
Jarvis, J. L. — Bonding of Birefringent Coatings to Composite Flat-belt-drive Materials, 198-200 (May).
Johnson, F. A. — Dynamic-fracture Toughness of A533B Steel, 172-178 (May).
Johnson, R. L. — Stress-concentration Factors at Intersecting and Closely Approaching Orthogonal Coplanar Holes, 1-6 (Jan.).
Jolles, M. — Stress Intensities for Nozzle Cracks in Reactor Vessels, 449-454 (Dec.).
Jones, D. L. — An Analytical and Experimental Stress Analysis of a Practical Mode II Fracture Test Specimen, 7-13 (Jan.).

Kaoulla, P. — Tests on Interactive Buckling of Stiffened Plates, 455-462 (Dec.).
Katsamanis, F. — The Dependence of Crack Velocity on the Critical Stress in Fracture, 128-132 (Apr.).
Kattura, S. — Tests on Interactive Buckling of Stiffened Plates, 455-462 (Dec.).
King, R. T. — Measurements of Anisotropic Elastic Constants of Type 308 Stainless-steel Electroslag Welds, 420-426 (Nov.).
Kirkwood, W. F. — Stress Concentrations Around Multiple Windows in a High-pressure Vessel, 223-227 (Jun.).
Kobayashi, T. — A System of Modified Epoxies for Dynamic Photoelastic Studies of Fracture, 367-374 (Oct.).
Koch, F. B. — Measurement of the Shapes of Foil Bulge-test Samples, 133-140 (Apr.).
Kocka, R. F. — Brittle Lacquer for Acoustic Testing of Structure, 23N-24N (Nov.).
Komatsu, K. — Buckling of Cantilever Cones under External Pressure, 477-480 (Dec.).
Kumazawa, T. — Photoelastic Technique to Investigate the Effect of Temperature and Strain Rate on Plastic Flow in Mild Steel, 271-275 (Jul.).
Kuske, A. — Photoelastic Stress Analysis of Machines Under Dynamic Load, 88-96 (Mar.).

Larsson, L. — Fracture Holder and Primary Fracture-compression Device, 239-240 (Jun.).
Lasky, R. C. — Mechanical Response and Heat Buildup in Repetitively Impacted Elastomers, 97-105 (Mar.).
Lee, R. E. — A Composite Three-dimensional Photoelastic Method, 433-438 (Nov.).
Leevers, P. S. — A Simple Testing Technique for Fracture under Biaxial Stresses, 228-232 (Jun.).
Leven, M. M. — Stress-concentration Factors at Intersecting and Closely Approaching Orthogonal Coplanar Holes, 1-6 (Jan.).
Leis, B. N. — The Effect of Large Prestrains on Fatigue, 64-68 (Feb.).
Liang, C. Y. — Cyclic-stress Studies by Time-averaged Photoelasticity, 314-316 (Aug.).
Liber, T. — Effect of Laminate Construction on Residual Stresses in Graphite/Polyimide Composites, 21-25 (Jan.).
Libertiny, G. Z. — The Effect of Large Prestrains on Fatigue, 64-68 (Feb.).
Lim, C. K. — An Analytical Approach to Determine Conventional S-N Curves from Accelerated Fatigue Data, 375-380 (Oct.).
Lingaiah, K. — Three-dimensional Photoelastic Study of the Load-carrying Capacity/Face Width Ratio of Wildhaber-Novikov Gears for Automotive Applications, 392-397 (Oct.).
Lundberg, B. — Analysis of Elastic Waves from Two-point Strain Measurement, 213-218 (Jun.).

Mark, R. — Photoelastic Analysis of Microelectric-component Thermal Stresses, 121-127 (Apr.).
Martin, B. G. — The Torsional Fatigue Properties of Titanium-alloy Spring Wire, 161-166 (May).
Mashhour, A. A. — Low-endurance Fatigue Behavior Under Combined Bending and Torsion, 276-279 (Jul.).
McClure, C. K. — Photoelasticity for Stress Analysis under High Hydrostatic Pressure, 308-313 (Aug.).
McConnell, K. G. — A Mathematical Model of Hysol 8705 Under Impact Loading, 113-119 (Mar.).
Mehrotra, C. L. — Discussion of "A New Application of Isodensitometry in the Moiré Technique", 280 (Jul.).
Mertz, D. W. — Belt Deformation in V-Belt Drives under Dynamic Loading, 463-469 (Dec.).
Meyer, M. L. — Discussion of "A New Application of Isodensitometry in the Moiré Technique", 280 (Jul.).
Michetti, A. R. — Fatigue Analysis of Structural Components Through Math-model Simulation, 69-76 (Feb.).
Mlakar, P. F. — Determination of Column-buckling Criteria Using Vibratory Data, 385-391 (Oct.).
Myrén, L. — Fracture Holder and Primary Fracture-compression Device, 239-240 (Jun.).

Nassar, E. M. — Determination of the Critical Loads of Shells by Nondestructive Methods, 154-160 (Apr.).
Nelson, D. V. — Review of Fatique-crack-growth Prediction Methods, 41-49 (Feb.).
Newman, J. C., Jr. — Discussion of "Review of Fatigue-crack-growth Prediction Methods", 399-400 (Oct.).
Nowack, H. — Verification of A Neuber-based Notch Analysis by the Companion-specimen Method, 57-63 (Feb.).

Ohta, A. — An Electric-power-saving Hydraulic Fatigue-testing Machine, 37-40 (Jan.).
Oisson, U. — Fracture Holder and Primary Fracture-compression Device, 239-240 (Jun.).

Palmer, R. S. J. — Bonding of Birefringent Coatings to Composite Flat-belt-drive Materials, 198-200 (May).
Parks, V. J. — Discussion of "Photoelastic Investigation of a Shrink-fit Problem", 398 (Oct.).
Patacca, A. M. — Application of Holographic Interferometry to a Study of Wave Propagation in Rock, 281-289 (Aug.).
Peretz, D. — Direct Determination of Interlaminar Stresses in Polymeric Adhesive Layer, 265-270 (Jul.).
Peters, W. H. — Stress Intensities for Nozzle Cracks in Reactor Vessels, 449-454 (Dec.).
Pirodda, L. — Optical Differentiation of Geometrical Patterns, 427-432 (Nov.).
Plunkett, R. — A Forced-vibration Technique for Measurement of Material Damping, 297-302 (Aug.).
Prabhakaran, R. — Toward Stress Freezing in Birefringent Orthotropic Composite Models, 317-320 (Aug.).

Radhakrishnan, V. M. — Inelastic Response and Energy Criterion for Fatigue Failure, 219-222 (Jun.).
Radon, J. C. — A Simple Testing Technique for Fracture under Biaxial Stresses, 228-232 (Jun.).
Radon, J. C. — Dynamic-fracture Toughness of A533B Steel, 172-178 (May).
Raftopoulos, D. — The Dependence of Crack Velocity on the Critical Stress in Fracture, 128-132 (Apr.).
Rakowski, W. J. — Dynamic-stress-data Management for Aeromechanical Testing of Turbomachinery, 207-212 (Jun.).
Ramachandra, K. — Three-dimensional Photoelastic Study of the Load-carrying Capacity/Face Width Ratio of Wildhaber-Novikov Gears for Automotive Applications, 392-397 (Oct.).
Reiters, L. O. — New Concept for Crack Detection, 188-192 (May).
Riley, W. F. — Optical Response and Yield Behavior of a Polyester Model Material, 321-326 (Sept.).
Ritchie, D. G. — Experimental Stress Analysis in Massive Offshore Structures, 327-332 (Sept.).
Russell, J. E. — Analysis of a Vibrating-wire Stress Gage in Soft Rock, 261-264 (Jul.).

Sanford, R. J. — Stress Analysis of a Complex Part: Photoelasticity vs. Finite Elements, 441-448 (Dec.).
Shawki, G. S. A. — Low-endurance Fatigue Behavior Under Combined Bending and Torsion, 276-279 (Jul.).
Sinclair, J. H. — Ten-deg Off-axis Test for Shear Properties in Fiber Composites, 339-346 (Sept.).
Singhal, M. K. — Determination of the Critical Loads of Shells by Nondestructive Methods, 154-160 (Apr.).
Smith, C. W. — Stress Intensities for Nozzle Cracks in Reactor Vessels, 449-454 (Dec.).
Socie, D. F. — Fatigue-life Prediction Using Local Stress-Strain Concepts, 50-56 (Feb.)
Stitz, E. O. — A Composite Three-dimensional Photoelastic Method, 433-438 (Nov.).
Sutton, S. A. — A Model for Computer-based Data Acquisition and Control, 141-146 (Apr.).
Sweet, A. L. — Determination of Column-buckling Criteria Using Vibratory Data, 385-391 (Oct.).

Tang, C. T. — A Mathematical Model of Hysol 8705 Under Impact Loading, 113-119 (Mar.).
Theocaris, P. S. — The Dependence of Crack Velocity on the Critical Stress in Fracture, 128-132 (Apr.).
Throop, J. F. — Stress, Strain and Deflection of Cracked C-shaped Specimens, 290-296 (Aug.).
Toda, S. — Buckling of Cantilever Cones under External Pressure, 477-480 (Dec.).
Toland, R. H. — Experimental Study of Multiple Impacts, 201-206 (Jun.).
Topper, T. H. — The Effect of Large Prestrains on Fatigue, 64-68 (Feb.).

Wanheim, T. — Indentation Pressure Transducer, 237-238 (Jun.).
Wenk, M. — Fracture-mechanics Investigations of Cracks in Rotating Disks, 106-112 (Mar.).
Wong, D. M. — Influence of Residual Stresses on the Tensile Strength of Composite-Metal Sandwich Laminates, 409-414 (Nov.).

Yeow, Y. T. — An Experimental Investigation on the Tensile Moduli and Strengths of Graphite/Epoxy Laminates, 401-408 (Nov.).
Young, C. — An Electromagnetic Shear-stress Gage for Large-amplitude Shear Waves, 470-476 (Dec.).

Zachary, L. W. — Optical Response and Yield Behavior of a Polyester Model Material, 321-326 (Sept.).